



# Safety Assessment of Inorganic Hydroxides as Used in Cosmetics

Christina L. Burnett\*, Wilma F. Bergfeld\*\*, Donald V. Belsito\*\*,  
Ronald A. Hill\*\*, Curtis D. Klaassen\*\*, Daniel C. Liebler\*\*,  
James G. Marks, Jr.\*\*\*, Ronald C. Shank\*\*, Thomas J. Slaga\*\*,  
Paul W. Snyder\*\*, Lillian J. Gill\*\*\*\*, and Bart Heldreth†

## Abstract

The Expert Panel for Cosmetic Ingredient Safety (Panel) reviewed the safety of inorganic hydroxides, which function in cosmetics primarily as pH adjusters. Representatives from the cosmetic industry have indicated these ingredients are used in depilating and hair waving/straightening formulations to raise pH values. The Panel considered relevant data related to these ingredients. The Panel concluded that these inorganic hydroxides are safe in hair straighteners and depilatories under conditions of recommended use; users should minimize skin contact. These ingredients are safe for all other present practices of use and concentration described in this safety assessment when formulated to be nonirritating.

## Keywords

cosmetics, safety, inorganic hydroxides

## Introduction

This report addresses the safety of the inorganic hydroxides, Calcium Hydroxide (also known as calcium hydrate or slaked lime), Magnesium Hydroxide, Potassium Hydroxide (potassium hydrate or potash), and Sodium Hydroxide (sodium hydrate, lye, or caustic soda). These ingredients are all alkaline salts and are reported in the *International Cosmetic Ingredient Dictionary and Handbook (Dictionary)* to function as pH adjusters in cosmetics; however, representatives from the cosmetics industry and formulary references have stated that the inorganic hydroxides are also used at very high pH values in hair straighteners and depilatories.<sup>1–5</sup> Additionally, Sodium Hydroxide has been reacted with fats to form soap for millennia.

The inorganic hydroxides in this report, except for Magnesium Hydroxide, are well-known caustic agents that can cause severe burns and corrosion with acute exposures. Sodium Hydroxide is commonly used as a positive control in efficacy studies of skin protective creams and in other studies of irritant contact dermatitis.<sup>6</sup>

Some chemical and toxicological data on the inorganic hydroxides included in this safety assessment were obtained from robust summaries of data submitted to the European Chemical Agency (ECHA) by companies as part of the REACH chemical registration process. These data summaries are available on the ECHA website.<sup>7–10</sup>

## Chemistry

### Definition

Inorganic hydroxides are alkaline salts formed by treating oxides with water or via decomposing salts by adding other soluble hydroxides to a solution thereof (eg, adding Sodium Hydroxide to magnesium sulfate will produce Magnesium Hydroxide). The formation of an inorganic hydroxide, such as specifically lime or Calcium Hydroxide, by reaction of an oxide with water is known as slaking.<sup>11</sup> The resulting highly water soluble ingredients only vary structurally by the metal cation. These variations result in different degrees of basicity across these 4 ingredients, ranging in  $pK_b$  values from 0.2 to 4.0. Used primarily as pH adjusters (to increase the pH of an otherwise acidic formulation), the caustic nature of these ingredients is unlikely to be observable in typical, final cosmetic

\* Cosmetic Ingredient Review Senior Scientific Analyst/Writer

\*\* Expert Panel for Cosmetic Ingredient Safety Member

\*\*\* Expert Panel for Cosmetic Ingredient Safety Former Member


\*\*\*\* Cosmetic Ingredient Review Former Director

† Cosmetic Ingredient Review Executive Director

### Corresponding Author:

Bart Heldreth, Executive Director, Cosmetic Ingredient Review, 1620 L Street, NW, Suite 1200, Washington, DC 20036, USA.

Email: cirinfo@cir-safety.org



**Figure 1.** Inorganic hydroxides (wherein “M” is a group I or II metal).

formulations, except when used in depilatory or hair straightener product types.

The definitions, structures, and functions of the inorganic hydroxides included in this report are provided Figure 1 and in Table 1.

### Chemical Properties

The inorganic hydroxides are all highly water-soluble, white solids with specific gravities around 2. Chemical properties of the inorganic hydroxides in this report are provided in Table 2.

### Method of Manufacturing

**Calcium Hydroxide.** Calcium Hydroxide may be formed by the hydration of lime or by treating an aqueous solution of a calcium salt with alkali.<sup>12</sup>

**Magnesium Hydroxide.** Magnesium Hydroxide may be formed by reacting magnesium chloride or sulfate with Sodium Hydroxide.<sup>12</sup> Most commercial-grade Magnesium Hydroxide is obtained from seawater or brine using lime or dolomitic lime.<sup>11</sup>


**Potassium Hydroxide.** Potassium Hydroxide may be produced by treating oxides with water, a process known as brine electrolysis.<sup>11,12</sup>

**Sodium Hydroxide.** Sodium Hydroxide is formed by brine electrolysis.<sup>11</sup>



Process 1. Brine Electrolysis

Sodium Hydroxide may also be formed by reacting lime with soda ash.<sup>11</sup>



Process 2. Slaking

### Impurities

The *US Pharmacopeia* and *Food Chemicals Codex* provides specifications for acceptable levels of impurities for the inorganic hydroxides named in this report.<sup>13,14</sup> These specifications are provided in Table 3.

## Use

### Cosmetic

The safety of the cosmetic ingredients included in this assessment is evaluated on the basis of the reported use in cosmetics using the data received from the US Food and Drug Administration (FDA) and the cosmetics industry. The data received from the FDA are those it collects from manufacturers on the use of individual ingredients in cosmetics by cosmetic product category in its Voluntary Cosmetic Registration Program (VCRP), and those from the cosmetic industry are submitted in response to a survey of the maximum reported use concentrations by category conducted by the Personal Care Products Council (Council).

According to the 2015 VCRP data, Sodium Hydroxide has the most reported uses in cosmetic formulations of the ingredients listed in this safety assessment, with a total of 5147; about half of the uses are in leave-on skin care formulations (Table 4).<sup>15</sup> Potassium Hydroxide has the second greatest number of overall uses reported, with a total of 1074; the majority of the uses also are in leave-on skin care formulations. The results of the concentration of use survey conducted in 2014 by the Council indicate Calcium Hydroxide has the highest reported maximum concentration of use; it is used at up to 13.2% in rinse-off shaving preparations; however, it is only used at up to 0.5% in leave-on formulations (deodorants).<sup>16</sup> Sodium Hydroxide is used at up to 10% in an “other” skin care preparation, which may or may not be a leave-on formulation. The next highest concentration of use reported for Sodium Hydroxide in a leave-on formulation is 6.9% in a face or neck formulation. Potassium Hydroxide is used at up to 7% in a leave-on body and hand formulation. Examples of depilatory and hair straightening formulations containing inorganic hydroxides are found in Tables 5 and 6.

Some of these ingredients may be used in products that can be incidentally ingested or come into contact with mucous membranes. For example, Sodium Hydroxide is used in lipstick (at least one use at up to 0.26%) and in bath soaps and detergents (860 uses at up to 12.9%). Additionally, some of these ingredients were reported to be used in hair sprays and body and hand sprays and could possibly be inhaled. For example, Potassium Hydroxide was reported to be used in hair sprays at a maximum concentration of 0.69%. In practice, 95% to 99% of the droplets/particles released from cosmetic sprays have aerodynamic equivalent diameters > 10 μm, with propellant sprays yielding a greater fraction of droplets/particles below 10 μm compared with pump sprays.<sup>17-20</sup> Therefore, most droplets/particles incidentally inhaled from cosmetic sprays would be deposited in the nasopharyngeal and bronchial regions and would not be respirable (ie, they would not enter the lungs) to any appreciable amount.<sup>18,19</sup>

The European Union Scientific Committee on Consumer Safety opined that Potassium Hydroxide is safe for use as a callosity softener/remover with a concentration of up to 1.5%.<sup>21</sup> A proposed change to the European Commission’s

**Table 1.** Definitions, Structures, and Reported Functions of the Ingredients in This Safety Assessment.<sup>1</sup>

Ingredient/CAS No.	Definition and Structure	Function
Calcium Hydroxide 1305-62-0	Calcium Hydroxide is the inorganic base that conforms to the formula $\text{Ca}^{2+} \text{ } ^-\text{OH}$	pH adjuster
Magnesium Hydroxide 1309-42-8	Magnesium Hydroxide is an inorganic base that conforms to the formula $\text{Mg}^{2+} \text{ } ^-\text{OH}$	absorbent; pH adjuster
Potassium Hydroxide 1310-58-3	Potassium Hydroxide is the inorganic base that conforms to the formula $\text{K}^{+} \text{ } ^-\text{OH}$	pH adjuster
Sodium Hydroxide 1310-73-2	Sodium Hydroxide is the inorganic base that conforms to the formula $\text{Na}^{+} \text{ } ^-\text{OH}$	denaturant; pH adjuster

**Table 2.** Chemical Properties of Inorganic Hydroxides.

Property	Value	Reference
Calcium Hydroxide		
Physical form	Crystals or soft, odorless granules, or powder with a slight bitter or alkaline taste	12
Formula weight (g/mol)	74.09	12
pK <sub>b</sub>	2.4	12
Specific gravity	2.08-2.34	12
Solubility (at 25 °C; g/L)	1.59	14
Magnesium Hydroxide		
Physical form	Bulky white, amorphous powder	12
Formula weight (g/mol)	58.32	12
Melting point (°C)	350 (decomposes)	51
pK <sub>b</sub>	4.0	12
Specific gravity	2.36	51
Solubility (at 25 °C; g/L)	0.0117	11
Potassium Hydroxide		
Physical form	White or slightly yellow lumps, rods, pellets	12
Formula weight (g/mol)	56.11	12
Melting point (°C)	360	12
Boiling point (°C)	1327	21
pK <sub>b</sub>	0.5	12
Specific gravity	2.044	51
Solubility (at 25 °C; g/L)	1100	21
Sodium Hydroxide		
Physical Form	Brittle, white, translucent crystalline solid	11
Formula weight (g/mol)	39.998	11
Melting point (°C)	318	11
Boiling point (°C at 760 mm Hg)	1388	11
pK <sub>b</sub>	0.2	12
Specific gravity (at 20 °C)	2.13	11
Solubility (at 25 °C; g/L)	1000	14

regulation under Annex III List of Substances Which Cosmetic Products Must Not Contain Except Subject to the Restrictions Laid Down has been sent to the World Trade Organization for consideration. Currently, Sodium Hydroxide, Potassium Hydroxide, and Calcium Hydroxide are listed on Annex III with the restrictions listed here.<sup>22</sup> The uses of Sodium Hydroxide and

Potassium Hydroxide may not exceed 5% in nail cuticle solvents; 2% for general use and 4.5% in professional use of hair straighteners; must have a pH below 12.7 when used as a pH adjuster in depilatories; and must have pH below 11 in other uses. The use of Calcium Hydroxide may not exceed 7% in hair straighteners containing Calcium Hydroxide and a guanidine

**Table 3.** Impurities Acceptance Criteria by the *US Pharmacopeia* and *Food Chemicals Codex*.<sup>13,14</sup>

Calcium Hydroxide	
Acid-insoluble substances	NMT* 0.5%
Arsenic (for 1 g sample)	NMT 3 mg/kg
Carbonate (for 2 g sample)	NMT a slight effervescence observed
Fluoride (for 1 g sample)	NMT 0.005%
Heavy metals (for 2 g sample)	NMT 20 µg/g
Lead (for 1 g sample)	NMT 2 mg/kg
Magnesium and alkali salts (for 500 mg sample)	NMT 4.8%
Magnesium Hydroxide	
Calcium Oxide (for 500 mg sample)	NMT 1%
Carbonate (for 0.1 g sample)	NMT a slight effervescence observed
Lead	NMT 2 mg/kg
Heavy metals (for 1 g sample)	NMT 20 µg/g
Potassium Hydroxide	
Carbonate (as K <sub>2</sub> CO <sub>3</sub> )	NMT 3.5%
Lead (for 1 g sample)	NMT 2 mg/kg
Mercury (for 10 g sample)	NMT 0.1 mg/kg
Sodium Hydroxide	
Arsenic (for 1 g sample)	NMT 3 mg/kg
Carbonate (as Na <sub>2</sub> CO <sub>3</sub> )	NMT 3.0%
Lead (for 1 g sample)	NMT 2 mg/kg
Mercury (for 10 g sample)	NMT 0.1 mg/kg

\*NMT = no more than.

salt, must have a pH below 12.7 when used as a pH adjuster in depilatories, and must have a pH below 11 in all other uses.

Magnesium Hydroxide is not restricted from use in any way under the rules governing cosmetic products in the European Union.<sup>22</sup>

### Non-Cosmetic

According to US FDA, the inorganic hydroxides in this report are generally recognized as safe (GRAS) as direct food substances based upon following current good manufacturing practice conditions of use (21CFR§184). Additionally, these are GRAS as feed additives for animals (21CFR§582). The FDA has also separately reviewed Calcium Hydroxide and Magnesium Hydroxide for use as active ingredients in over-the-counter (OTC) drugs. Calcium Hydroxide is listed for anti-diarrheal products and Magnesium Hydroxide is listed for digestive aid products (21CFR §310).

Calcium Hydroxide is used in mortar, plaster, cement, and other building and paving materials.<sup>12</sup> It is also used in lubricants, drilling fluids, pesticides, fireproofing coatings, water paints, as egg preservative, in the manufacture of paper pulp, in rubber vulcanization in water treatment, in dehairing hides, and as an absorbent for carbon dioxide. Therapeutically, it is used as an astringent.

Magnesium Hydroxide may be used therapeutically as an antacid, cathartic, or laxative.<sup>12</sup> It is an approved OTC active ingredient (21 CFR§ 331.11).

Non-cosmetic uses of Potassium Hydroxide include as a mordant for wood, for mercerizing cotton, for absorbing carbon dioxide, for removing paint and varnish, for electroplating, for photoengraving and lithography, in printing inks, for debudding calves' horns, and for dissolving scales and hair in skin scrapings.<sup>12</sup>

Sodium Hydroxide is a strong base and is extremely corrosive. Sodium Hydroxide solutions are used to neutralize acids and to make sodium salts (eg, in petroleum refining to remove sulfuric and organic acids), to treat cellulose during viscose rayon and cellophane production, to reclaim rubber, in plastics manufacturing, and in dehorning calves.<sup>11,12</sup>

### Toxicokinetics

No relevant published toxicokinetics studies on inorganic hydroxides were identified in a literature search for these ingredients and no unpublished data were submitted. Data on the kinetics of the metal ions of these ingredients are abundant in the published literature, but these data are not useful in assessing the safety of these ingredients as they are used in cosmetics.

### Toxicological Studies

#### Acute Toxicity

Animal acute toxicity studies are presented in Table 7.<sup>7-10,23-26</sup> In oral toxicity studies, Calcium Hydroxide had an

**Table 4.** Frequency and Concentration of Use According to Duration and Type of Exposure for Inorganic Hydroxides.<sup>15,16</sup>

	# of Uses	Max Conc of Use (%)	# of Uses	Max Conc of Use (%)
Calcium Hydroxide			Magnesium Hydroxide	
Totals <sup>†</sup>	99	0.1-13.2	14	1.1-1.6
Duration of Use				
Leave-On	18	0.11-0.5	4	NR
Rinse Off	81	0.1-13.2	8	1.1-1.6
Diluted for (Bath) Use	NR	NR	2	NR
Exposure Type				
Eye Area	NR	NR	NR	NR
Incidental Ingestion	NR	NR	NR	NR
Incidental Inhalation—Sprays	Spray: NR Possible: 2 <sup>a</sup> ; 1 <sup>b</sup>	Spray: NR Possible: 0.18 <sup>a</sup>	NR	NR
Incidental Inhalation—Powders	Powder: NR Possible: 1 <sup>b</sup>	NR	powder: 1	NR
Dermal Contact	71	0.1-13.2	7	1.1
Deodorant (underarm)	NR	Spray: NR Possible: NR Not spray: 0.5	NR	NR
Hair—Non-Coloring	28	0.18-6	NR	NR
Hair-Coloring	NR	NR	7	1.6
Nail	NR	NR	NR	NR
Mucous Membrane	NR	NR	2	1.1
Baby Products	NR	NR	NR	NR
Potassium Hydroxide			Sodium Hydroxide	
Totals <sup>†</sup>	1074	0.0000049-10	5147	0.0000083-12.9
Duration of Use				
Leave-On	681	0.0000049-7	2802	0.0000083-10
Rinse Off	387	0.00048-10	2267	0.00002-12.9
Diluted for (Bath) Use	6	0.3-6.4	78	0.00002-0.28
Exposure Type				
Eye Area	61	0.000049-0.5	191	0.0000083-0.86
Incidental Ingestion	4	0.00049-0.005	36	0.00083-0.26
Incidental Inhalation—Sprays	Spray: 9 Possible: 252 <sup>a</sup> ; 240 <sup>b</sup>	Spray: 0.00049-0.69 Possible: 0.0045-0.77 <sup>a</sup> ; 0.3-10 <sup>b</sup>	Spray: 13 Possible: 1284 <sup>a</sup> ; 745 <sup>b</sup>	Spray: 0.000025-0.35 Possible: 0.0025-0.93 <sup>a</sup> ; 0.09-2 <sup>b</sup>
Incidental Inhalation—Powders	Powder: NR Possible: 240 <sup>b</sup> ; 3 <sup>c</sup>	Powder: 0.0000049 Possible: 0.3-10 <sup>b</sup>	Powder: 2 Possible: 745 <sup>b</sup> ; 16 <sup>c</sup>	Powder: 0.0000083-0.25 Possible: 0.09-2 <sup>b</sup>
Dermal Contact	995	0.0000049-10	4310	0.0000083-12.9
Deodorant (underarm)	Spray: NR Possible: 3 <sup>a</sup>	NR	Spray: NR: Possible: 129 <sup>a</sup>	Spray: 0.4 Possible: NR Not spray: 0.01-1.1
Hair—Non-Coloring	60	0.005-0.77	444	0.00002-3
Hair-Coloring	1	0.31	329	0.001-1.7
Nail	10	0.02-1.7	8	0.13-1
Mucous Membrane	102	0.00049-6.4	1253	0.00002-12.9
Baby Products	3	0.19-0.21	47	0.13-0.16

NR = Not reported.

<sup>†</sup>Because each ingredient may be used in cosmetics with multiple exposure types, the sum of all exposure types may not equal the sum of total uses.<sup>a</sup>It is possible these products may be sprays, but it is not specified whether the reported uses are sprays.<sup>b</sup>Not specified whether a powder or a spray, so this information is captured for both categories of incidental inhalation.<sup>c</sup>It is possible these products may be powders, but it is not specified whether the reported uses are powders.

LD<sub>50</sub> > 7300 mg/kg bodyweight in rats and mice and Magnesium Hydroxide had an LD<sub>50</sub> > 2000 mg/kg bodyweight in rats. An LD<sub>50</sub> of 1230 mg/kg bodyweight was observed in rats that received Potassium Hydroxide at doses that increased in log fashion by a factor of 2 starting at

0.1 mg/mL solution. Other oral studies of Potassium Hydroxide in rats have LD<sub>50</sub> results of 333 to 388 mg/kg bodyweight. Oral studies of Sodium Hydroxide led to extensive gastric damages in the animal tested. In dermal toxicity studies, Calcium Hydroxide had an LD<sub>50</sub> > 2.5 g/kg bodyweight

**Table 5.** Example Depilatory Formulations.<sup>5</sup>

Ingredients	Cream % w/w	Lotion % w/w
Calcium thioglycolate	5.40	5.40
Calcium Hydroxide	4.00	4.00
Sodium Hydroxide, to pH 12.0-12.5	qs	qs
Ceteareth 20	1.50	1.00
Cetearyl alcohol	3.50	3.00
Stearyl alcohol	1.00	-
Silica	0.25	-
Propylene glycol	2.00	1.00
Sweet almond ( <i>Prunus amygdalus</i> <i>dulcis</i> ) oil	1.00	-
Mineral oil	5.00	5.00
Cocoa butter	1.00	-
Jojoba ( <i>Buxus chinensis</i> ) oil	-	0.50
Fragrance	0.50	0.70
Water	qs 100.00	qs 100.00

qs = quantum satis (amount which is needed).

in rabbits, and mice treated with 50% Sodium Hydroxide had better survival rates when the test compound was washed off within an hour of application. In inhalation studies in rats, the LC<sub>50</sub>s for Magnesium Hydroxide and Sodium Hydroxide were > 2.1 mg/L (4-h exposure) and > 0.75 mg/L (2-h exposure), respectively.

### Repeated Dose Toxicity

A combined repeated dose toxicity study and reproductive and developmental toxicity screening test was performed with Magnesium Hydroxide in accordance with Organisation for Economic Co-operation and Development (OECD) guideline 422.<sup>9</sup> These results are described in the Reproductive and Developmental Toxicity section of this report. No other relevant published repeated dose toxicity studies on inorganic hydroxides were identified in a literature search for these ingredients and no unpublished data were submitted.

## Reproductive and Developmental Toxicity

### Magnesium Hydroxide

The reproductive toxicity of Magnesium Hydroxide (pH = 10) was studied in rats that received the test material via gavage.<sup>9</sup> The study followed OECD guideline 422. Groups of 10 male and 10 female Wistar rats received 0, 110, 330, or 1000 mg/kg bw/d Magnesium Hydroxide in water daily. Males were exposed for 29 days (ie, 2 weeks prior to mating, during mating, and up until treatment end) and females were exposed for 41 to 45 days (ie, 2 weeks prior to mating, during mating, during gestation, and during at least 4 days of lactation). No treatment-related effects were observed on clinical signs, body-weight or weight gain, feed consumption, or hematology. In parental males, lower total protein levels (330 and 1000 mg/kg dose groups), lower albumin levels (1000 mg/kg dose group), and lower calcium levels (330 and 1000 mg/kg dose groups)

in the blood, and lower sodium and potassium excretion (1000 mg/kg dose group) and higher calcium concentration in urine (1000 mg/kg dose group) were observed; however, these changes only just exceeded or remained within normal ranges and there were no corresponding histopathological changes. No toxicologically relevant changes from the test material were observed in parental organ weights or in gross pathology. There were no treatment-related effects on offspring development. The no observed adverse effect level (NOAEL) for parental systemic effects, parental reproductive effects, and offspring effects in this 1 generation rat study of Magnesium Hydroxide was 1000 mg/kg bw/d.

## Genotoxicity

Genotoxicity studies are presented in Table 8.<sup>7-10,27</sup> Calcium Hydroxide, Magnesium Hydroxide, and Sodium Hydroxide were not genotoxic in several different in vitro assays. Potassium Hydroxide was not genotoxic in 1e Ames test, but results were ambiguous in another Ames test and a chromosome aberration test. Sodium Hydroxide was not genotoxic in an in vivo mouse oocyte aneuploidy induction study at up to 0.015 M. High, nonphysiological pH may yield false-positive results in genotoxicity studies.

## Carcinogenicity

No relevant published carcinogenicity data on inorganic hydroxides were identified in a literature search for these ingredients and no unpublished data were submitted.

## Irritation and Sensitization

### Dermal Irritation

Sodium Hydroxide is a corrosive material that can produce immediate coagulative necrosis resulting in considerable tissue damage with ulceration and sloughing.<sup>28</sup> Toxicity is a function of pH, with greater toxicity associated with increasing pH values. High pH (strong alkalinity) can cause deep burns and readily denatures keratin. Following exposure, the chemical must be removed quickly and completely in order to avoid further damage to the skin or possible systemic injury.

A representative sampling of dermal irritation studies are presented in Table 9.<sup>6-10,29-38</sup> Magnesium Hydroxide was not irritating or corrosive when tested in vitro (concentrations not reported); however, Potassium Hydroxide and Sodium Hydroxide were corrosive at concentrations as low as 1%. Calcium Hydroxide was generally irritating but not corrosive in rabbit dermal studies (concentrations not reported). Potassium Hydroxide was irritating and/or corrosive in rabbit (at 2% or greater) and guinea pig (at 10%) studies. Sodium Hydroxide was irritating/corrosive in a concentration-dependent manner in rat, rabbit, and pig studies. In humans, Sodium Hydroxide was irritating at concentrations as low as 0.5%. Because of the large number of studies that include Sodium Hydroxide as a

**Table 6.** Example Hair Relaxer/Straightener Formulations.<sup>3</sup>

Ingredients	Lye Relaxer % w/w	No-Lye Relaxer (cream + activator) % w/w
Cetearyl alcohol (and) ethoxylated lanolins (relaxer concentrate)	12.00	-
Relaxer concentrate (type not specified)	-	15.00 (in cream)
Mineral oil	5.00	15.00 (in cream)
Triblock polymer	10.00	-
Petrolatum	10.00-15.00	10.00 (in cream)
Sodium Hydroxide beads	1.7-2.2	-
Calcium Hydroxide powder	-	5.00 (in cream)
Guanidine carbonate	-	30.00 (in activator)
Water	qs 100.00	49.50 (in cream) and qs 100.00 (in activator)
Propylene glycol	7.00	5.00 (in cream) and 0.50 (in activator)
Phosphate ester	2.00	-
Polyquaternium 11	-	0.40 (in activator)
Preservative	qs	qs (in activator)
Xanthan gum	-	1.00 (in activator)
Protein or other conditioner	0.50-2.00	-
Fragrance	-	0.50 (in cream)

qs = quantum satis (amount which is needed).

positive control, only a sampling has been presented in this safety assessment.

### Ocular Irritation

Caustic chemicals like Sodium Hydroxide can rapidly penetrate ocular tissues.<sup>28</sup> Toxicity is a function of pH, with greater toxicity associated with increasing pH values. The concentration of the solution and duration of contact with the eye are important determinants of the eventual clinical outcome.

A representative sampling of ocular irritation studies are presented in Table 10.<sup>7-10,38-42</sup> Calcium Hydroxide was predicted to be irritating in hen's egg test-chorioallantoic membrane (HET-CAM) in vitro tests while Magnesium Hydroxide was predicted not to be irritating in a bovine corneal opacity and permeability (BCOP) in vitro test. In rabbit studies, Calcium Hydroxide was severely irritating at a concentration as low as 10% and pH of 9. Potassium Hydroxide and Sodium Hydroxide were severely irritating and/or corrosive in a concentration-dependent manner in rodents. Magnesium Hydroxide was not irritating in a rabbit study.

### Dermal Sensitization

Dermal sensitization studies are summarized in Table 11.<sup>8-10</sup> Potassium Hydroxide (0.1%) was not sensitizing in a guinea pig study, whereas Magnesium Hydroxide in propylene glycol was sensitizing in a local lymph node assay (LLNA) when tested at up to 50%. In a human repeat insult patch test (HRIPT), Sodium Hydroxide was not sensitizing when induced at up to 1.0% and challenged at 0.125%, but irritation was observed.

### Case Reports

There were no case reports discovered in the published literature indicating adverse events that could be associated specifically

with the presence of inorganic hydroxide ingredients in cosmetic products. However, there are numerous case reports suggesting an association between the use of depilatory and hair straightening products that contain active ingredients like thioglycolates (Table 5) as well as inorganic hydroxides.<sup>43-50</sup>

### Summary

The inorganic hydroxides, Calcium Hydroxide, Magnesium Hydroxide, Potassium Hydroxide, and Sodium Hydroxide, are all alkaline salts and are reported in the *Dictionary* to function most commonly as pH adjusters in cosmetics; however, representatives from the cosmetics industry have stated that the inorganic hydroxides are added to depilating and hair waving/straightening formulations to raise pH values. Inorganic hydroxides, except for Magnesium Hydroxide, are well known caustic agents that can cause severe burns and corrosion in acute exposures. Sodium Hydroxide is commonly used as a positive control in efficacy studies of skin protective creams and in other studies of irritant contact dermatitis.

According to the 2015 VCRP data, Sodium Hydroxide has the most reported uses of the ingredients listed in this safety assessment in cosmetic products, with a total of 5147; about half of the uses are in leave-on skin care products. Potassium Hydroxide has the second greatest number of overall uses reported, with a total of 1074; the majority of the uses also are in leave-on skin care products. The results of the concentration of use survey conducted in 2014 by the Council indicate Calcium Hydroxide has the highest reported maximum concentration of use; it is used at up to 13.2% in rinse-off shaving preparations. However, it is only used up to 0.5% in leave-on products (deodorants). Sodium Hydroxide is used at up to 10% in an "other" skin care preparation, which may or may not be a leave-on product. The next highest concentration of use for a leave-on product for Sodium Hydroxide is 6.9% in a face or neck product.

**Table 7.** Acute Toxicity Studies.

Ingredient	Concentration/Dose	Study Protocol	Results	Reference
<i>Oral</i>				
Calcium Hydroxide	Details not provided	Oral study in mice and rats (no further details provided)	LD <sub>50</sub> ≥ 7300 mg/kg bodyweight	7
Magnesium Hydroxide in water	2000 mg/kg	Oral gavage (10 mL/kg dose volume) in 3 female Wistar rats	LD <sub>50</sub> > 2000 mg/kg bodyweight	9
Magnesium Hydroxide	Details not provided	Oral study in rats (no further details provided)	LD <sub>50</sub> = 8500 mg/kg	52
Potassium Hydroxide	Details not provided	Oral gavage in male Sprague Dawley rats 14 day conventional test (10 animals/dose) or 1 week up-and-down test (1 animal/dose)	LD <sub>50</sub> = 333 mg/kg bodyweight in conventional method, LD <sub>50</sub> = 388 mg/kg bodyweight in up-and-down test	23
Potassium Hydroxide in water	0.1 mg/mL solution with doses increased in log fashion by factor of 2	Oral gavage in 5 male/dose Carworth-Wistar rats	LD <sub>50</sub> = 1230 mg/kg bodyweight	53
Potassium Hydroxide	Details not provided	Oral gavage in 9 male/dose Charles River albino rats	LD <sub>50</sub> = 365 mg/kg bodyweight	54
Sodium Hydroxide	0.2 N	Oral study in rats (no further details provided)	Extensive damage to gastric mucosa observed	55
Sodium Hydroxide	8.3%	Oral study in 2-4 mongrel cats	Superficial layer of squamous mucosa was destroyed in the esophagus; submucosal and transmural thrombosis observed in the blood vessels	56
Sodium Hydroxide	7 mL of 0.5 N	Oral gavage in 26 Wistar rats (no further details provided)	Entire gastric mucosa fell off; intestinal metaplasia in rats	57
Sodium Hydroxide in water	0.4%, 0.5%, or 0.62% corresponding to 20, 25, or 31 mg/kg bodyweight	Oral study in male rats (no further details provided)	Increasing concentrations resulted in increasing gastric injury; erosion scores were 10%, 65%, and 70% for 0.4%, 0.5%, and 0.62% NaOH, respectively	24
<i>Dermal</i>				
Calcium Hydroxide	2.5 g/kg bodyweight	Dermal exposure to 5 male and 5 female New Zealand white rabbits; patches semioccluded; test area 100 cm <sup>2</sup> ; test site rinsed with water after 24 h	LD <sub>50</sub> > 2.5 g/kg bodyweight	7
Sodium Hydroxide in water	50%	Dermal exposure in groups of 27 54A/He and C57 black mice, test sites were irrigated immediately, or after 30 min, 1 h, 2 h, or not at all (no further details provided)	Mortality rate of the mice was 0%, 20%, 40%, 80%, and 71% when application sites were irrigated immediately, after 30 min, after 1 h, after 2 h, or not at all	25
<i>Inhalation</i>				
Magnesium Hydroxide	2.1 mg/L	4-h whole body inhalation of aerosol in groups of 5 male and female Wistar rats	LC <sub>50</sub> > 2.1 mg/L	9
Sodium Hydroxide	0.75 mg/L	Whole body exposure of aerosol for 2 h in 24 male Wistar rats, microscopic examinations performed on cross sections of nose, larynx, trachea with esophagus, and lungs at 1 h and 24 h postexposure	No mortalities during test; acute laryngitis observed in 11 animals after 1 h and after 24 h; average severity of laryngeal lesions was 1.58 (very slight) at 1 h and 1.25 (very slight) at 24 h	26



Table 8. Genotoxicity Studies.

Ingredient	Concentration/Dose	Study Protocol	Results	Reference
<i>In Vitro</i> Calcium Hydroxide	0.3 to 3750 µg/plate	Ames test in <i>Salmonella typhimurium</i> strains TA98, TA100, TA1535, and TA1537 and <i>Escherichia coli</i> strain WP2 uvr A, with and without metabolic activation	-Not mutagenic	7
Calcium Hydroxide in glycerol	30, 100, or 300 mM	-Chromosome aberration study, with and without metabolic activation, in human dental pulp cells -Test material was incubated with cells in 1 of 3 scenarios: 30 h continuous treatment with colcemid added 3 h before harvest; 3 h treatment with 27 h recovery and colcemid added 3 h before harvest; or 2 h treatment with a 28 h recovery and colcemid added 3 h before harvest (metabolic activation scenario)	-Not genotoxic	27
Magnesium Hydroxide in dimethyl sulfoxide (DMSO)	100 to 5000 µg/plate	Ames test in <i>S typhimurium</i> strains TA98, TA100, TA1535, and TA1537 and <i>E coli</i> strain WP2 uvr A, with and without metabolic activation	-Not mutagenic	9
Magnesium Hydroxide in DMSO	1, 3, 10, or 33 µg/mL	Mouse lymphoma L5178Y/TK mutation test, with and without metabolic activation	-Not mutagenic -Test material precipitated at concentrations greater than 33 µg/mL	9
Magnesium Hydroxide in DMSO	3, 10, or 33 µg/mL	Chromosome aberration test in human lymphocytes, with and without metabolic activation	-Not clastogenic -Test material precipitated at concentrations greater than 33 µg/mL	9
Potassium Hydroxide in distilled water	0.01, 0.05, 0.1, 0.5, or 1 mg/plate	Ames test in <i>S typhimurium</i> strains TA97 and TA102, with and without metabolic activation	Not genotoxic	10
Potassium Hydroxide in distilled water	0.00945%-0.019%	Ames test in <i>E coli</i> strains B/Sd-4/3,4 and B/Sd-4/1,3,4,5 without metabolic activation	-Ambiguous results (no further details)	58
Potassium Hydroxide	0, 4, 8, 12, 16, or 20 mM	Chinese hamster ovary (CHO) chromosome aberration test, with and without metabolic activation	-Ambiguous results: positive with metabolic activation at 12 mM and pH 10.4 but negative without metabolic activation	59
Sodium Hydroxide	Details not provided	Ames test in <i>S typhimurium</i> strains TA98, TA100, TA1535, TA1537, TA1538 (no further details provided)	-High nonphysiological pH may yield false-positive results Not genotoxic	60
Sodium Hydroxide	0, 4, 8, or 16 mM with corresponding pH values of 7.4, 9.1, 9.7, or 10.6, respectively	CHO-K1 cell chromosomal aberration test, with and without metabolic activation	Not clastogenic	59
Sodium Hydroxide	Details not provided	Unscheduled DNA synthesis assay in <i>E coli</i> strains WP2, WP67, CM871 (no further details provided)	Not genotoxic	60
Sodium Hydroxide	Details not provided	Unscheduled DNA synthesis assay in <i>E coli</i> strains WP2, WP2uvrA, WP67, CM611, WP100, W3110polA+, p3478pola-, with and without metabolic activation (no further details provided)	Not genotoxic	61
<i>In Vivo</i> Sodium Hydroxide (as a control substance)	10 mg/kg of 15 mM	Chromosome aberration bone marrow micronucleus assay in 5 male and 5 female CD-mice via a single intraperitoneal dose	-No significant increase of micronuclei was observed	62
Sodium Hydroxide (as a control substance)	0.3-0.4 mL of 0.01 M	Aneuploidy induction study in female Swiss mice oocytes; mice injected intraperitoneally and chromosome spreads were made 12 h after injection (no further details provided)	-No nondisjunction observed	63

**Table 9.** Dermal Irritation Studies.

Ingredient	Concentration/	Study Protocol	Results	Reference
<i>In Vitro</i>				
Magnesium Hydroxide	Details not provided	Human 3-dimensional epidermal model using 10 mg test material moistened with 25 $\mu$ L purified water	Not irritating	9
Magnesium Hydroxide	Details not provided	Human 3-dimensional epidermal model using 25 mg test material moistened with 25 $\mu$ L purified water	Not corrosive	9
Potassium Hydroxide	10%	Epiderm and Skin2ZSI301 in vitro models (validation study)	Corrosive	64
Potassium Hydroxide	5% and 10%	In vitro skin corrosion—transcutaneous electrical resistance test (TER; validation study)	Corrosive at both concentrations tested	65
Potassium Hydroxide	5% and 10%	Skin2ZKI350 in vitro model (validation study)	Corrosive at 10%, noncorrosive at 5%	65
Potassium Hydroxide	5%	Leiden human reconstructed epidermal in vitro model (validation study)	Corrosive and irritant	66
Potassium Hydroxide	5% and 10%	In vitro membrane barrier test method (validation study)	Corrosive at both concentrations tested	65
Potassium Hydroxide	5%	SkinEthic in vitro model	Irritant	67
Potassium Hydroxide	5% and 10%	Episkin model (validation study)	Corrosive at both concentrations tested	65
Potassium Hydroxide	10%	SkinEthic reconstituted human epidermal model (validation study)	Corrosive	68
Sodium Hydroxide in water	4.9%	Skin2ZKI350 in vitro model	Corrosive	69
Sodium Hydroxide in water	16% and 24%	-Irritation study in Yorkshire weanling pigs skin flaps -Test area was 5 cm <sup>2</sup> area on the lower abdominal skin -Dose volume = 200 $\mu$ L	Severe necrosis of all epidermal cell layers and dermis, with some lesions extending into the subcutaneous layers. A decrease in glucose utilization and changes in vascular resistance were observed	70
Sodium Hydroxide	1%	-In vitro study using human breast or abdominal tissues -Test material (150 $\mu$ L) applied to the epidermis of at least 6 skin discs for 24 h before rinsing with water -Transcutaneous electrical resistance (TER) was measured	Corrosive effects observed (TER was below 11.0 kohms/disc at 7.7)	30
<i>Non-Human In Vivo</i>				
Calcium Hydroxide	Details not provided	-Irritation study in 3 Himalayan rabbits -Treated skin was cleaned with soap and water immediately after exposure -0.5 g test material applied to shaved skin for 4 h -Sites graded immediately and at 1, 24, 48, and 72 h and on days 7 and 4 postexposure	Irritating but not corrosive	7
Calcium Hydroxide	Details not provided	-Draize irritation study in 3 New Zealand white rabbits -0.5 g test material applied to shaved skin and semioccluded for 4 h -Sites graded at 1, 24, 48, and 72 h postpatch removal -5 male and 5 female New Zealand white rabbits -2500 mg/kg applied via semioccluded patches on shaved skin for 24 h -Treated skin was rinsed with water 24 h after application	Not irritating	7
Calcium Hydroxide	Details not provided	-2500 mg/kg applied via semioccluded patches on shaved skin for 24 h	Irritating; redness followed by scabbing was observed at the test site following rinsing	7
Potassium Hydroxide	1% and 2%	-Draize irritation study in 6 rabbits -Occlusive 1 in <sup>2</sup> patches on clipped skin -0.5 mL applied for 4 h	Not corrosive at 1%, corrosive at 2%	37

(continued)

Table 9. (continued)

Ingredient	Concentration/	Study Protocol	Results	Reference
Potassium Hydroxide	10%	-Irritation study in 6 Hartley guinea pigs -0.5 mL test material on intact and abraded skin for 4 h, patches occluded -Sites graded after 4, 24, and 48 h -6 rabbits exposed to 0.2 mL test material in 19 mm diameter Hill Top chamber for 1 or 4 h or 0.5 mL on Webril gauze patches for 4 h -Patches occluded -Sites graded 30 min, 24, 48, and 72 h after patch removal -Irritation study in 6 rabbits -0.5 mL test material applied under occlusive patches on abraded and intact skin for 4 h -Sites observed after 4, 24, and 48 h -Modified Draize study in 6 albino rabbits -0.1 mL test material applied to area of 20 mm <sup>2</sup> for 24 h under occlusive patches on abraded and intact skin -Stepwise screening test for skin irritation in mice (no further details provided)	Corrosive	71
Potassium Hydroxide	5% and 10%		Severe irritation at both concentrations tested	72
Potassium Hydroxide	10%		Corrosive	71
Potassium Hydroxide	5%		Mild irritant on intact skin, extreme irritant on abraded skin	54
Sodium Hydroxide	Details not provided		-Minimum concentration for skin irritation was 5% (50 mg/kg) -Minimum intradermal test response was 0.25% to 0.3% (1.25-1.5 mg/kg)	38
Sodium Hydroxide	8%	-Test material was applied for 1 min with 2 cm diameter filter paper to the abdomens of 20 SD rats -Test area was washed with 500 mL distilled water at 1, 10, or 30 min postexposure -Test sites examined at 1-min intervals for up to 90 min -Test material (0.5 mL) was applied for 4 h to 4 New Zealand white rabbits -Semioccluded patches on clipped dorsolumbar skin -Test sites washed after patch removal -Test sites examined 1, 24, 48, 72, and 144 h after patches were removed	-Subcutaneous tissue pH did not recover to pre-experiment values by the 90th min -Tissue pH value did not exceed 8.0 (at 1 min) -No difference in effects was observed when washing was at 10 or 30 min -Test material was corrosive at 5% when tested in 1 rabbit; scores of 4 for erythema were recorded up to 168 h postpatch removal, edema scores of 1 were recorded at 24 and 48 h -No irritation was observed in 3 rabbits at 0.36%	73
Sodium Hydroxide	0.36% and 5%			8
Sodium Hydroxide	4.9% by weight	Irritation study in 3 Vienna white rabbits (1 male, 2 females); patches were occlusive and applied to shaved skin (1 intact and 1 abraded site) for 24 h; sites observed for reactions at 24 and 72 h postapplication with last check after 8 days	Moderately irritating with a primary irritation index (PII) score of 5.6; mild necrosis was observed after 24 h and parchment-like/leather-like necrosis was observed after 72 h that was observed after 8 days	8
Sodium Hydroxide	1% w/v aq. solution	Irritation study in 6 New Zealand white rabbits; patches were 2.5 cm <sup>2</sup> and the shaved sites were occluded for 2 h; sites observed for reactions at 1, 24, 48, 72 h, and 7 days	Slight skin irritant; very slight erythema in 2 animals at 1 h, well-defined reaction observed in 1 animal and same very slight irritation in 2 other animals at 24 h; very slight irritation observed in 3 animals at 48 and 72 h that persisted in 1 animal until day 7	8
Sodium Hydroxide	0.95% by weight	Irritation study in 3 female Vienna white rabbits; patches were occlusive and applied to shaved skin (1 intact and 1 abraded site); sites observed for reactions at 24 and 72 h postapplication with last check after 8 days	Mildly irritating with a PII score of 2.7; fully reversible erythema in 2 rabbits with spot-like necrosis observed at 72 h for 2 animals	8

(continued)

**Table 9.** (continued)

Ingredient	Concentration/	Study Protocol	Results	Reference
Sodium Hydroxide	5% aqueous	Irritation study in 6 New Zealand white rabbits exposed for 2 h to 0.5 mL test material; test site was 2.5 cm <sup>2</sup> , shaved and occluded; sites were scored at 24, 48, and 72 h and on day 7	Skin irritant; Slight dermal irritation observed in 3 animals 1 h postpatch removal; 1 rabbit had caustic burn with "in depth" skin damage and small dermal hemorrhages; 2 rabbits had small dermal hemorrhages with some slight tissue necrosis; similar reaction observed at 24, 48, and 72 h and on day 7; 1 patch had poor skin contact during the 2 h patching	8
Sodium Hydroxide in water	8%, 16%, or 24%	-Irritation study in 4 Yorkshire weanling pigs -200 $\mu$ L on a 5 cm <sup>2</sup> area on the lower abdominal skin for 30 min	-Highly irritating at 8% and 16%; corrosive at 24% -Gross blisters developed within 15 min of application -8% and 16% produced severe necrosis in all epidermal layers -24% produced numerous and severe blisters with necrosis extending into the subcutaneous tissue	70
<i>Human</i> Sodium Hydroxide	0.5% in aq. solution	-Test material (50 $\mu$ L) used as a positive control and irritation inducer in an efficacy study of skin protective creams in 20 human subjects	-Yielded expected irritation as a positive control	6
Sodium Hydroxide	0.5%	-Test material applied on 18 mm diameter area on 5/13 test sites Patch test in 30 subjects with 0.2 mL of the test substance on a 25 mm Plain Hill Top Chamber containing a Webril pad for 15 and 30 min, 1, 2, 3, and 4 h.	Irritating to the skin, maximum exposure time was limited to 1 h due to strong level of response	30
Sodium Hydroxide	2% in distilled water	Closed patch test in 12 mm diameter Finn chambers of experimental irritants in 16 subjects; patch was removed after 1 h	Visual median score after 24 and 96 h was 1 out of 3 (weak positive reaction), respectively	31
Sodium Hydroxide	Up to 5% aq.	-Patch test in healthy male volunteers of 7 known irritants to determine the optimum concentration to produce mild to moderate reactions in ~75% of individuals tested; -Test substance (30 $\mu$ L/cm <sup>2</sup> ) applied to the volar area of the forearm with 8 mm Finn chambers; -Patches removed after 48 h and reactions assessed 1 h later.	-0% of the subjects had a positive reaction at 1%, 29% of the subjects had a positive reaction at 2%, and 100% of the subjects had a positive reaction at 4%; -at 2%, 4 subjects had $\pm$ reactions; -at 3%, 2 subjects had $\pm$ reactions, 1 subject had 1+ reaction, and 4 subjects had 2+ reaction; -at 5%, 2 subjects had 3+ reaction and 1 subject had 4+ reaction; -the severity of irritant reactions to Sodium Hydroxide rose sharply with increasing concentration, with considerable pain in some volunteers, that led to removing the patches before 48 h.	33
Sodium Hydroxide	0.5% dissolved in water	-Test material was used as a positive control and irritation inducer in an efficacy study of perfluoropolyethers as protective preparations; -7 male and 3 female subjects; -irritant application of 0.05 mL occurred 30 min after pretreatment with protective preparation in 12 mm diameter Finn chambers; -Chambers removed after 30 min of exposure and the skin was rubbed dry; -Subjects were treated over a 12-day period.	-Sodium Hydroxide yielded expected irritation as a positive control	34

(continued)

Table 9. (continued)

Ingredient	Concentration/	Study Protocol	Results	Reference
Sodium Hydroxide	0.5% dissolved in water	-Test material was used as a positive control and irritation inducer in an efficacy study of perfluoropolyethers as protective preparations; -7 male and 13 female subjects; -Irritant application of 0.05 mL occurred 30 min after pretreatment with protective preparation in 12 mm diameter Finn chambers; -Chambers removed after 30 min of exposure and the skin dried; -Subjects were treated over a 12-day period.	-Sodium Hydroxide induced significant irritant reaction from day 1 until the end of the first week, and to a smaller extent from end of week 1 to the end of week 2, as indicated by visual score values, transepidermal water loss (TEWL), and chromametry of the control sites.	29
Sodium Hydroxide	2% in sterile water, pH 13.7	-Closed patch test of different irritants in 16 volunteers (10 female, 6 male) on both arms using 12 mm diameter Finn chambers; -Skin damage was evaluated visually and by polysulfide rubber replica; -Sodium Hydroxide patch was removed at the most 1 h postapplication; -Visual assessments of the test sites were performed 24, 48, and 96 h postapplication;	-At 24 h, reactions were observed in 12 subjects with 3 being scored a 3; -At 48 h, reactions were observed in 9 subjects with 5 being scored a 3; -At 96 h, reactions were observed in 11 subjects with 4 being scored a 3; -In 31% of the imprints, skin damage was observed	32
Sodium Hydroxide	1 g/v% in distilled water, pH 12.7	-Skin surface imprints with polysulfide rubber were made. -Test of barrier function of the skin following exposure to low concentrations of known irritants; -Allergic patch testing in 42 subjects with miscellaneous diseases; -Test sites were on unaffected skin of the volar forearm; -Test substance (100 µL) was applied for 48 h by 12 mm Finn chambers;	-Sodium Hydroxide was observed to increase skin water vapor loss when compared to unexposed skin ( $3.6 \text{ g/m}^2 \text{ h} \pm 2.0, P < 0.05$ ).	36
Sodium Hydroxide	0.5 mol/L	-24 h postexposure, the skin water vapor loss was measured. -19 subjects received two 30 min exposures/d with a 3-h interval for 4 days -50 µL test material via occlusive (Finn Chambers or Scanpor 12 mm diameter discs) and nonocclusive patches -Test sites were rinsed with 10 mL of tap water and dried after the 30 min applications	-Highly irritating -Application of test material was discontinued after the third day because of the severity of the reactions -Increased in TEWL values observed at day 3 -Visual scores showed highly significant irritation	35

**Table 10.** Ocular Irritation Studies.

Ingredient	Concentration	Study Protocol	Results	Reference
<i>Non-Human—In Vitro</i>				
Calcium Hydroxide	50 mg, no further details provided	-HET-CAM in vitro test	-Irritating	7
Calcium Hydroxide	250 mg, no further details provided	-HET-CAM in vitro test	-Irritating	7
Magnesium Hydroxide in physiological saline	Details not provided	-BCOP in vitro test	-Not irritating -Irritancy score was 501 after 240 min of treatment	9
<i>Non-Human – In Vivo</i>				
Calcium Hydroxide	150g/L	-Acute eye irritation/corrosion study in 3 male New Zealand white rabbits -0.1 mL instilled into the conjunctival sac of 1 eye, eye was not rinsed -Observations made at 1, 24, 48, and 72 h after treatment up to 21 days	-Irritating	7
Calcium Hydroxide	10%, pH 9	-Acute eye irritation/corrosion study in 1 male New Zealand white rabbit -100 mg instilled into the conjunctival sac -Eyes examine after 1 h	-Irritating -Very severe reactions were observed 1 h after exposure, with pronounced chemosis, necrotized appearance of the conjunctiva, whitish watering and total opacity of the cornea, showing nacreous appearance -Iris became totally obscured -Test was discontinued after treatment with 1 rabbit for humane reasons.	7
Calcium Hydroxide	0.01, 0.03, or 0.10 g, no further details provided	-Acute eye irritation/corrosion study in New Zealand white rabbits -9 rabbits received low dose, 6 rabbits each received medium and high doses -Test material applied directly to the cornea of 1 eye of each rabbit	-Irritating -Study halted at 14 days for the medium and high-dose groups due to severe eye irritation -Expected return to normalcy in the eye of the low-dose group was greater than 21 days.	39
Magnesium Hydroxide	Details not provided	-Observations made a 1, 3, 7, 14, and 21 days after treatment -Acute eye irritation/corrosion study in 3 male New Zealand white rabbits -Rabbits received an average instillation of 57.3 mg (dose volume 0.1 mL) of the test substance in the conjunctival sac of 1 eye, eye was not rinsed -Observations made at 1, 24, 48, and 72 h after instillation	-Not irritating -Slight dulling of normal luster and/or epithelial damage in 2 rabbits resolved within 24 or 48 h -Iridial irritation grade 1 observed in all rabbits resolved within 24 h -Irritation of the conjunctivae consisting of redness, chemosis, and discharge in all rabbits resolved within 72 h -Highly corrosive at 5% for 5 min (1 rabbit) -Irritant at 1% for 5 min (3 rabbits) -Marginal irritant at 0.5% for 24 h (3 rabbits) -No ocular reactions at 0.1% for 24 h (3 rabbits) -2% caused moderate corneal injury (score = 2.0 out of 4); severe conjunctival irritation was observed between 4 and 96 h -Lesser effects were observed with the 1% solution (no further details provided)	9
Potassium Hydroxide in water	0.1%, 0.5%, 1%, 5%	-Acute eye irritation/corrosion study in 10 albino rabbit eye -0.1 mL instilled for 5 min or 24 h, with observations performed at 1, 24, 48, and 72 h and 7 days -Eyes rinsed following exposure		54
Sodium Hydroxide in water	1.0% or 2.0%	-Acute eye irritation/corrosion study in 6 New Zealand white rabbits -0.1 mL instilled into lower conjunctival sac -Observations made a 4, 24, 48, 72, and 96 h		40

(continued)

**Table 10.** (continued)

Ingredient	Concentration	Study Protocol	Results	Reference
Sodium Hydroxide in water	0.5% or 10%	-Acute eye irritation/corrosion study in New Zealand white rabbits -3 groups of 3 rabbits for 0.5%; 4 groups of 3 rabbits for 10% -0.5% groups received 0.01, 0.03, or 0.1 mL -10% groups received 0.003, 0.01, 0.05 mL, or 0.1 mL -Observations made at 1 h and 1, 2, 3, 4, 7, 14, and 21 days -Eyes were not washed -Eye irritation study in rats (no details provided)	-Slight eye irritant at 0.5%, corrosive at 10% -At 0.5%, no corneal effects at 0.01-0.1 mL; grade 1 iridial effects observed in 2/3 animals that cleared by day 1 at 0.1 mL -At 10%, irreversible effects on the eye at 0.05 and 0.1 mL	8
Sodium Hydroxide	Details not provided		-Eye irritation observed at a concentration of 1.25%	38
Sodium Hydroxide in distilled water	0.004% (0.001 M), 0.04% (0.01 M), 0.2% (0.05 M), 0.4% (0.1 M), 1.2% (0.3 M)	-Acute eye irritation/corrosion study in a minimum of 7 Strauffland albino rabbits -0.1 mL instilled into the lower conjunctival sac -Observations made 1, 2, 3, 4, 7 days, then every 3-4 days up to 21 days post-treatment	-Nonirritating at 0.004%-0.2% -Mild irritation at 0.4% -Corrosive at 1.2%	41
Sodium Hydroxide in water	0.1%, 0.3%, 1.0%, or 3.0% corresponding to pH values of 12.3, 12.8, 13.1, or 13.5	-Acute eye irritation/corrosion study in New Zealand albino rabbits -2 groups of 6 rabbits; eyes were washed 30 s after exposure for 2 min with 300 mL tap water and eyes were unwashed after exposure in the second -0.1 mL instilled into conjunctival sac -Observations made 1 h and 1, 2, 3, and 7 days post-treatment	-Conjunctivitis observed at 1.0% and 3.0% that lasted through day 7 -Duration of corneal opacities produced by 1.0% reduced as a result of washing test eyes 30 s after instillation	42

BCOP = bovine corneal opacity and permeability; HET-CAM, hen's egg test-chorioallantoic membrane.

**Table 11.** Sensitization Studies.

Ingredient	Concentration	Study Protocol	Results	Reference
<i>Non-Human</i>				
Potassium Hydroxide in water	0.1%	Intracutaneous repeat insult test in 5 male albino guinea pigs	Not sensitizing	54
Magnesium Hydroxide in propylene glycol	0%, 10%, 25%, or 50%	Local lymph node assay (LLNA) in groups of 5 female CBA/J mice	-Sensitizing -SI values for 10%, 25%, and 50% were 2.0, 3.6, and 5.9, respectively -EC <sub>3</sub> value calculated to be 19.4% -Very slight erythema was observed in all animals treated at 50%	9
<i>Human</i>				
Sodium Hydroxide	Induction 0.63% to 1.0%; challenge 0.125%	Modified HRIPT in 15 male subjects	-Not sensitizing -Irritation response well correlated with the concentration of the irritant	74

HRIPT = human repeat insult patch test.

The inorganic hydroxides in this report are GRAS as direct food substances and as feed additives for animals. The FDA has also reviewed Calcium Hydroxide and Magnesium Hydroxide for use as an active ingredient in OTC drugs. Inorganic hydroxides have numerous non-cosmetic uses.

In oral toxicity studies, Calcium Hydroxide had an LD<sub>50</sub> > 7300 mg/kg bodyweight in rats and mice and Magnesium Hydroxide had an LD<sub>50</sub> > 2000 mg/kg bodyweight in rats. An LD<sub>50</sub> of 1230 mg/kg bodyweight was observed in rats that received Potassium Hydroxide at doses that increased in log fashion by a factor of 2 starting at 0.1 mg/mL solution. Other oral studies of Potassium Hydroxide in rats have LD<sub>50</sub> results of 333 to 388 mg/kg bodyweight. Oral studies of Sodium Hydroxide led to extensive gastric damages in the animal tested. In dermal toxicity studies, Calcium Hydroxide had an LD<sub>50</sub> > 2.5 g/kg bodyweight in rabbits, and mice treated with 50% Sodium Hydroxide had better survival rates when the test compound was washed off within an hour of application. In inhalation studies in rats, the LC<sub>50</sub>s for Magnesium Hydroxide and Sodium Hydroxide were > 2.1 mg/L (4-h exposure) and > 750 µg/L (2-h exposure), respectively.

The NOAEL for parental and offspring effects following oral exposure to Magnesium Hydroxide (pH = 10) was 1000 mg/kg bw/d. No treatment-related effects were observed on clinical signs, bodyweight or weight gain, feed consumption, or hematology. No toxicologically relevant changes from the test material were observed in parental organ weights or in gross pathology. There were no treatment-related effects on offspring development.

Calcium Hydroxide, Magnesium Hydroxide, and Sodium Hydroxide were not genotoxic in several different in vitro assays. Potassium Hydroxide was not genotoxic in 1 Ames test, but results were ambiguous in another Ames test and a chromosome aberration test. Sodium Hydroxide was not genotoxic in mice studies (intraperitoneal injection) at up to 0.015 M.

Magnesium Hydroxide was not irritating or corrosive in in vitro tests; however, Potassium Hydroxide and Sodium

Hydroxide were corrosive at concentrations as low as 5%. Calcium Hydroxide was irritating but not corrosive in dermal rabbit studies. Potassium Hydroxide was irritating and/or corrosive in rabbit and guinea pig studies at concentrations of 2% or greater. Sodium Hydroxide was irritating and/or corrosive in a concentration-dependent manner in rat, rabbit, and pig studies. In humans, Sodium Hydroxide was irritating at concentrations as low as 0.5%. Because of the large number of studies that include Sodium Hydroxide as a positive control, only a sampling has been presented in this safety assessment.

In ocular studies, Calcium Hydroxide was irritating in HET-CAM in vitro tests, whereas Magnesium Hydroxide was not irritating in a BCOP in vitro test. In rabbit studies, Calcium Hydroxide was severely irritating at a concentration of 10% and pH of 9. Potassium Hydroxide and Sodium Hydroxide were severely irritating and/or corrosive in a concentration-dependent manner. Magnesium Hydroxide was not irritating in a rabbit study.

Potassium Hydroxide (0.1%) was not sensitizing in a guinea pig study while Magnesium Hydroxide in propylene glycol was sensitizing in an LLNA when tested at up to 50%. In an HRIPT, Sodium Hydroxide was not sensitizing when induced at up to 1.0% and challenged at 0.125%, but irritation was observed.

There were no case reports discovered in the published literature indicating adverse events that could be associated specifically with the presence of inorganic hydroxide ingredients in cosmetic products. However, there are numerous case reports suggesting an association between the use of depilatory and hair straightening products that contain active ingredients like thioglycolates, as well as inorganic hydroxides.

## Discussion

The Panel reviewed studies performed to assess the dermal and ocular irritation and sensitization potential of the inorganic hydroxide ingredients. The Panel recognized that these



ingredients can cause dermal and/or ocular irritation when used to adjust the pH of highly alkaline cosmetic formulations, specifically depilatory and hair straightening products. However, most of the alkalinity of the inorganic hydroxides in other types of cosmetic products will be neutralized by other ingredients in the formulation. Thus, neither local nor systemic toxicity is expected to be a concern for the use of the inorganic hydroxide ingredients in such formulations.

The safety of inorganic hydroxide ingredients as pH adjusters should not be based on the concentration of use, but on the concentration of free hydroxide ions that remain in a formulation. In general, the concentration of free hydroxide ion in a formulation depends on the acidity of the other ingredients in the formulation. The concentration of free hydroxide ions is expected to be low in cosmetic formulations, except in some depilatory and hair-straightening formulations.

The inorganic hydroxide ingredients are not listed in the *Dictionary* as depilating or hair waving/straightening agents. However, inorganic hydroxides are added to some depilating and waving/straightening products to enable or enhance the depilatory and waving/straightening action of these products by increasing the pH of the formulations to high values. If the inorganic hydroxides are used in hair waving/straightening products, use concentrations should be limited and adequate instructions should be provided to users to prevent skin contact on the hands (such as by wearing gloves) and to minimize skin exposure (such as by limiting the frequency of product use) to ensure that irritation is not a concern. The Panel noted, for example, that hair dressers should use adequate measures to protect their skin before repeatedly applying hair straighteners containing inorganic hydroxides to multiple clients over a short period. In addition, users should avoid prolonged skin exposures on hands and scalp. The Panel emphasized that following manufacturers' instructions on the proper application and use are especially important if these products are used on children.

The Panel further discussed the potential for skin irritation and sensitization specifically from the use of inorganic hydroxides in depilatories. The Panel recognized that nearly all methods of hair removal may cause some irritation. However, clinically significant adverse reactions to the ingredients in depilatories are not commonly seen in the experience of the Panel. This indicates that current products are formulated to be practically nonirritating under conditions of recommended use.

No case reports were discovered indicating that topical exposures to inorganic hydroxides in cosmetic products are generally associated with adverse health effects. However, there are numerous case reports of adverse events associated with the use of depilatory or hair-straightening products containing inorganic hydroxides. These events were not clearly attributable to the inorganic hydroxides rather than to other ingredients, such as thioglycolates, in such products.

These ingredients are also reported to function as absorbents (Magnesium Hydroxide) and denaturants (Sodium Hydroxide) in cosmetic products. The Panel had no concerns about the safe use of these ingredients when used for these purposes in cosmetic products that are formulated to be nonirritating.

No carcinogenicity data were discovered. However, the Panel agreed that the cations of the hydroxides used in cosmetics are not expected to cause cancer or other local or systemic toxicity.

The Panel discussed the issue of incidental inhalation exposure from hair sprays and body and hand sprays, hair color sprays, fragrance preparations, and foot powders. Limited data are available from acute inhalation toxicity studies on Magnesium Hydroxide and Sodium Hydroxide. There were no inhalation toxicity data available on the remaining ingredients. These ingredients are reportedly used at concentrations up to 0.69% in cosmetic products that may be aerosolized. The Panel noted that 95% to 99% of droplets/particles would not be respirable to any appreciable amount. Coupled with the small actual exposure in the breathing zone and the concentrations at which the ingredients are used, the available information indicates that incidental inhalation would not be a significant route of exposure that might lead to local respiratory or systemic effects. The Panel considered other data available to characterize the potential for inorganic hydroxides to cause irritation and sensitization and, as noted above, recognize that these potentially irritating substances would be neutralized in formulation and are unlikely to cause local effects in the respiratory tract. A detailed discussion and summary of the Panel's approach to evaluating incidental inhalation exposures to ingredients in cosmetic products is available at <http://www.cir-safety.org/cir-findings>.

## Conclusion

The Expert Panel for Cosmetic Ingredient Safety concluded that Calcium Hydroxide, Magnesium Hydroxide, Potassium Hydroxide, and Sodium Hydroxide are safe in hair straighteners and depilatories under conditions of recommended use; users should minimize skin contact. These ingredients are also safe for all other present practices of use and concentration described in this safety assessment when formulated to be nonirritating.

## Authors' Note

Unpublished sources cited in this report are available from the Executive Director, Cosmetic Ingredient Review, 1620 L Street, NW, Suite 1200, Washington, DC 20036, USA.

## Author Contribution

Burnett, C. contributed to conception and design; contributed to acquisition, analysis, and interpretation; drafted the manuscript; and critically revised the manuscript. Bergfeld, W., Belsito, D., Hill, R., Klaassen, C., Liebler, D., Marks, J., Shank, R., Slaga, T., Snyder, P., and Gill, L. contributed to conception and design, contributed to analysis and interpretation, and critically revised the manuscript; Heldreth, B. contributed to design, contributed to analysis and interpretation, and critically revised the manuscript. All authors gave final approval and agree to be accountable for all aspects of work ensuring integrity and accuracy.

## Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

## Funding

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: The articles in this supplement were sponsored by the Cosmetic Ingredient Review. The Cosmetic Ingredient Review is financially supported by the Personal Care Products Council.

## References

1. Nikitakis J, Breslawec HP. *International Cosmetic Ingredient Dictionary and Handbook*. 15 ed. Personal Care Products Council, 2014.
2. Steinberg D. *Information on Use of Inorganic Hydroxides in Hair Straighteners and Depilatories*. September 21, 2015. Washington, DC. Unpublished data presented at the 136th CIR Expert Panel Meeting.
3. O'Lenick T, Vermeulen S, Banham A, Brooks GJ. Ethnic hair care. Chapter: 7. Schlossman ML. In: *The Chemistry and Manufacture of Cosmetics*. Vol. Volume II - Formulating. 4th ed. Allured Publishing Corp.; 2009:247-303.
4. Syed AN. Hair straightening. Chapter: 9. Schlossman ML. In: *The Chemistry and Manufacture of Cosmetics*. Vol. Volume II - Formulating. 4th ed. Allured Publishing Corp.; 2009:337-385.
5. O'Lenick T, Shea FT. Depilatories and epilatories. Chapter: 24. Schlossman ML. In: *The Chemistry and Manufacture of Cosmetics*. Vol. Volume II - Formulating. 4th ed. Allured Publishing Corp.; 2009:781-818.
6. Schliemann S, Petri M, Elsner P. Preventing irritant contact dermatitis with protective creams: influence of the application dose. *Contact Dermatitis*. 2013;70(1):19-26.
7. European Chemicals Agency. Calcium dihydroxide. Last Updated 2015. Accessed March 12, 2015. <http://echa.europa.eu/>
8. European Chemicals Agency. Sodium Hydroxide. Last Updated 2015. Accessed March 12, 2015. <http://www.echa.europa.eu/>
9. European Chemicals Agency. Magnesium Hydroxide. Last Updated 2015. Accessed May 13, 2015. <http://echa.europa.eu/>
10. European Chemicals Agency. Potassium Hydroxide. Last Updated 2015. Date Accessed May 14, 2015. <http://echa.europa.eu/>
11. Kroschwitz JI, ed. *Kirk-Othmer Concise Encyclopedia of Chemical Technology*. 4th ed. John Wiley & Sons, Inc., 1999.
12. O'Neil MJ, ed. *The Merck Index*. 15th ed. The Royal Society of Chemistry, 2013.
13. US Pharmacopeial Convention. *The United States Pharmacopeia*. United Book Press, Inc. 2008;2-3.
14. US Pharmacopeial Convention. *Food Chemicals Codex*. 8th. United Book Press, Inc; 2012.
15. Food and Drug Administration (FDA). Frequency of use of cosmetic ingredients. *FDA Database*. FDA. 2015. Data received February 3, 2015 in response to a Freedom of Information Act request.
16. Personal Care Products Council. Concentration of use information for Sodium Hydroxide and other Hydroxides. April 18, 2014. Unpublished data submitted by Personal Care Products Council.
17. Rothe H, Fautz R, Gerber E, Neumann L, Rettinger K, Schuh W, Gronewold C. Special aspects of cosmetic spray safety evaluations: principles on inhalation risk assessment. *Toxicol Lett*. 2011; 205(2):97-104.
18. Rothe H. Special aspects of cosmetic spray evaluation; 2011.
19. Bremmer HJ, Prud'homme de Lodder LCH, Engelen JGM. Cosmetics fact sheet: to assess the risks for the consumer; Updated version for ConsExpo 4. 2006:1-77. Report No. RIVM 320104001/2006.
20. Johnsen MA. The Influence of Particle Size. *Spray Technol Market*. 2004;14(11):24-27.
21. Scientific Committee on Consumer Safety (SCCS). Opinion on Potassium Hydroxide (KOH) as callosity softener/remover; 2014. Accessed August 3, 2015. [http://ec.europa.eu/health/scientific\\_committees/consumer\\_safety/docs/sccs\\_o\\_154.pdf](http://ec.europa.eu/health/scientific_committees/consumer_safety/docs/sccs_o_154.pdf). Report No. SCCS/1527/14
22. European Union. Regulation (EC) No. 1223/2009 of the European Parliament and of the Council of 30 November 2009 on Cosmetic Products. 2009. Accessed January 10, 2014. <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:342:0059:0209:en:PDF>
23. Bruce RD. A confirmatory study of the up-and-down method for acute oral toxicity testing. *Fundam Appl Toxicol*. 1987;8(1): 97-100.
24. Van Kolfschoten AA, Zandberg P, Jager LP, Van Noordwijk J. Protection by paracetamol against various gastric irritants in the rat. *Toxicol Appl Pharmacol*. 1983;69(1):37-42.
25. Bromberg BE, Song IC, Walden RH. Hydrotherapy of chemical burns. *Plast Reconstr Surg*. 1965;35:85-95.
26. Zwicker GM, Allen MD, Stevens DL. Toxicity of aerosols of sodium reaction products. *J Environ Pathol Toxicol*. 1979;2(4): 1139-1150.
27. Nishimura H, Higo Y, Ohno M, Tsutsui TW, Tsutsui T. Ability of root canal antiseptics used in dental practice to induce chromosome aberrations in human dental pulp cells. *Mut Res*. 2008; 649(1-2):45-53.
28. Klaassen CD, ed. *Casarett & Doull's Toxicology: The Basic Science of Poisons*. 8th ed. McGraw Hill Education, 2013.
29. Schliemann-Willers S, Wigger-Alberti W, Elsner P. Efficacy of a new class of perfluoropolyethers in the prevention of irritant contact dermatitis. *Acta Derm Venereol*. 2001;81(6): 392-394.
30. York M, Griffiths HA, Whittle E, Basketter DA. Evaluation of a human patch test for the identification and classification of skin irritation potential. *Contact Dermatitis*. 1996;34(3):204-212.
31. Agner T, Serup J. Contact thermography for assessment of skin damage due to experimental irritants. *Acta Derm Venereol (Stockh)*. 1988;68(3):192-195.
32. Agner T, Serup J. Skin reactions to irritants assessed by polysulfide rubber replica. *Contact Dermatitis*. 1987;17(4):205-211.
33. Willis CM, Stephans CJM, Wilkinson JD. Experimentally-induced irritant contact dermatitis: determination of optimum irritant concentrations. *Contact Dermatitis*. 1988;18(1):20-24.

34. Elsner P, Wigger-Alberti W, Pantini G. Perfluoropolyethers in the prevention of irritant contact dermatitis. *Dermatology*. 1998; 197(2):141-145.
35. Fluhr JW, Bankova L, Fuchs S, et al. Fruit acids and Sodium Hydroxide in the food industry and their combined effect with sodium lauryl sulphate: controlled in vivo tandem irritation study. *Br J Dermatol*. 2004;151(1039):1048.
36. van der Valk PGM, Nater JP, Bleumink E. The influence of low concentrations of irritants on skin barrier function as determined by water vapour loss. *Derm Beruf Umwelt*. 1985;33(3):89-91.
37. Vernot EH, MacEwen JD, Haun CC, Kinkead ER. Acute toxicity and skin corrosion data for some organic and inorganic compounds and aqueous solutions. *Toxicol Appl Pharmacol*. 1977; 42(2):417-423.
38. Sekizawa J, Yasuhara K, Suyama Y, Yamanaka S, Tobe M, Nishimura M. A simple method for screening assessment of skin and eye irritation. *J Toxicol Sci*. 1994;19(1):25-35.
39. Griffith JF, Nixon GA, Bruce RD, Reer PJ, Bannan EA. Dose-response studies with chemical irritants in the albino rabbit eye as a basis for selecting optimum testing conditions for predicting hazard to the human eye. *Toxicol Appl Pharmacol*. 1980;55(3): 501-513.
40. Jacobs GA. OECD eye irritation tests on Sodium Hydroxide. *J Amer Coll Toxicol*. 1992;11(6):725-725.
41. Morgan RL, Sorenson SS, Castles TR. Prediction of ocular irritation by corneal pachymetry. *Fd Chem Toxic*. 1987;25(8):609-613.
42. Murphy JC, Osterberg RE, Seabaugh VM, Bierbower GW. Ocular irritancy responses to various pHs of acids and bases with and without irrigation. *Toxicology*. 1982;23(4):281-291.
43. Booker MJ. Stevens-Johnson Syndrome triggered by chemical hair relaxer: a case report. *Cases J*. 2009;2(1):7748.
44. Khumalo NP, Pillay K, Ngwanya RM. Acute 'relaxer'-associated scarring alopecia: a report of five cases. *Br J Dermatol*. 2007; 156(6):1394-1397.
45. Haque AK, Al-Ghazal S. Burn from hair removal cream - a case report. *Burns*. 2004;30(8):866-867.
46. Shetty VH, Shetty NJ, Nair DG. Chemical hair relaxers have adverse effects: a myth or reality? *Int J Trichology*. 2013;5(1): 26-28.
47. Khumalo NP, Stone J, Gumedze F, McGrath E, Ngwanya MR, de Berker D. 'Relaxers' damage hair: evidence from amino acid analysis. *J Am Acad Dermatol*. 2010;62(3):402-408.
48. Kaur BJ, Singh H, Lin-Greenberg A. Irritant contact dermatitis complicated by deep-seated staphylococcal infection caused by a hair relaxer. *J Natl Med Assoc*. 2002;94(2):121-123.
49. Borovicka JH, Thomas L, Prince C, Mehregan DR. Scarring alopecia: clinical and pathologic study of 54 African-American women. *Int J Dermatol*. 2009;48(8):840-845.
50. Burnett CL, Bergfeld WF, Belsito DV, et al. Final amended report on the safety assessment of ammonium thioglycolate, butyl thioglycolate, calcium thioglycolate, ethanolamine thioglycolate, ethyl thioglycolate, glyceryl thioglycolate, isooctyl thioglycolate, isopropyl thioglycolate, magnesium thioglycolate, methyl thioglycolate, potassium thioglycolate, sodium thioglycolate, and thioglycolic acid. *Int J Toxicol*. 2009;28(4S):68-133.
51. Lewis RJ. *Hawley's Condensed Chemical Dictionary*. 135th ed. John Wiley & Sons, Inc., 2007.
52. Dr. Paul Lohmann. Safety data sheet: Magnesium Hydroxide. 2015. Unpublished data submitted by the Personal Care Products Council.
53. Smyth HF, Carpenter CP, Weil CS, Pozzani UC, Striegel JA, Nycum JS. Range-finding toxicity data: list VII. *Am Ind Hyg Assoc J*. 1969;30(5):470-476.
54. Johnson GT, Lewis TR, Wagner WD. Acute toxicity of cesium and rubidium compounds. *Toxicol Appl Pharmacol*. 1975;32(2): 239-245.
55. Robert A, Nezamis JE, Lancaster C, Hanchar AJ. Cytoprotection by prostaglandins in rats. Prevention of gastric necrosis produced by alcohol, HCl, NaOH, hypertonic NaCl, and thermal injury. *Gastroenterology*. 1979;77(3):433-443.
56. Ashcraft KW, Padula RT. The effect of dilute corrosives on the esophagus. *Pediatrics*. 1974;53(2):226-232.
57. Oohara T, Sadatsuki H, Kaminishi M, Mitarai Y. Simple alkaline treatment induces intestinal metaplasia in the stomach of rats. *Path Res Pract*. 1982;175(4):365-372.
58. Demerec M, Bertani G, Flint J. A survey of chemicals for mutagenic action on *E. coli*. *Am Naturalist*. 1951;85(821):119-136.
59. Morita T, Watanabe Y, Takeda K, Okumura K. Effects of pH in the in vitro chromosomal aberration test. *Mut Res*. 1989;225(1-2): 55-60.
60. De Flora S, Zanicchi P, Camoirano A, Bennicelli C, Badolati GS. Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA-repair test. *Mut Res*. 1984; 133(3):161-198.
61. McCarroll NE, Piper CE, Keech BH. An *E. coli* micro-suspension assay for the detection of DNA damage induced by direct-acting agents and promutagens. *Environ Mutagen*. 1981;3(4): 429-444.
62. Aaron CS, Sorg R, Zimmer D. The mouse bone marrow micronucleus test: evaluation of 21 drug candidates. *Mut Res*. 1989; 223(2):129-140.
63. Brook JD, Chandley AC. Testing of 3 chemical compounds for aneuploidy induction in the female mouse. *Mut Res*. 1985; 157(2-3):215-220.
64. Perkins MA, Osborne R, Johnson GR. Development of an in vitro method for skin corrosion testing. *Fundam Appl Toxicol*. 1996; 31(1):9-18.
65. Fentem JH, Archer GEB, Balls M, et al. The ECVAM international validation study on in vitro tests for skin corrosivity. 2. Results and evaluation by the management team. *Toxicol In Vitro*. 1998;12(4):486-524.
66. El Ghalbzouri A, Siamari R, Willemze R, Poncet M. Leiden reconstructed human epidermal model as a tool for the evaluation of the skin corrosion and irritation potential according to the ECVAM guidelines. *Toxicol In Vitro*. 2008;22(5):1311-1320.
67. Tornier C, Rosdy M, Maibach HI. In vitro skin irritation testing on reconstituted human epidermis: reproducibility for 50 chemicals tested with two protocols. *Toxicol In Vitro*. 2006;20(4): 401-416.
68. Kandarova H, Liebsch M, Spielmann H, et al. Assessment of the human epidermis model SkinEthic RHE for in vitro skin corrosion

- testing of chemicals according to new OECD TG 431. *Toxicol In Vitro*. 2006;20(4):547-559.
69. Liebsch M, Doring B, Donnelly TA, Logemann P, Rheins LA, Spielmann H. Application of the human dermal model Skin<sup>2</sup> ZK 1350 to phototoxicity and skin corrosivity testing. *Toxicol In Vitro*. 1995;9(4):557-562.
70. Srikrishna V, Monteiro-Riviere NA. The effects of Sodium Hydroxide and hydrochloric acid on isolated perfused skin. *In Vitro Toxicol*. 1991;4(3):207-215.
71. Nixon GA, Tyson CA, Wertz WC. Interspecies comparisons of skin irritancy. *Toxicol Appl Pharmacol*. 1975;31(3):481-490.
72. Nixon GA, Bannan EA, Gaynor TW, Johnston DH, Griffith JF. Evaluation of modified methods for determining skin irritation. *Regul Toxicol Pharmacol*. 1990;12(2):127-136.
73. Yano K, Hata Y, Matsuka K, Ito O, Matsuda H. Experimental study on alkaline skin injuries - periodic changes in subcutaneous tissue pH and the effects exerted by washing. *Burns*. 1993;19(4):320-323.
74. Park KB, Eun HC. A study of skin responses to follow-up, rechallenge and combined effects of irritants using non-invasive measurements. *J Dermatol Sci*. 1995;10(2):159-165.